

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10002	9	10070	26	10160	12.25	10239	13.75	10305	7.25	10374	26.25
10003	3.5	10071	16.5	10161	11.25	10240	10.5	10306	13.25	10375	21.25
10004	12.5	10072	9	10162	21.75	10241	18.75	10307	18.75	10376	15
10006	6.25	10074	31.25	10163	16.25	10242	12.5	10309	9.5	10377	32.5
10007	11.25	10076	19.5	10164	19.75	10243	5.5	10311	26.25	10379	13.75
10010	8	10078	13.75	10166	20.25	10244	11.5	10313	12.5	10380	10.5
10011	16.5	10079	11.25	10167	16.25	10245	7.75	10316	34.25	10381	9.75
10013	21	10080	30	10169	26.25	10246	10.75	10318	17	10384	11.75
10014	17.5	10082	6	10170	3.25	10247	15	10320	10.5	10385	22.5
10015	23.5	10083	19.75	10172	-6.5	10249	11.75	10321	18	10386	15.5
10016	18.5	10084	14.25	10173	14.25	10250	7.75	10322	10	10387	44.5
10017	4.5	10086	22.25	10174	15.5	10252	37.5	10323	8.5	10388	30
10018	15.25	10087	26.75	10175	11.25	10253	18	10324	13	10391	23.5
10020	27.25	10088	20.5	10176	13.5	10254	17.5	10325	27	10392	17.75
10021	4.75	10089	25	10178	9.25	10255	9.5	10326	1.25	10393	14
10022	20.75	10091	13.75	10179	8.75	10256	11.25	10327	19.75	10395	12.75
10024	12.75	10092	11.25	10180	21	10257	6	10328	37.25	10396	15.75
10025	5.5	10093	15.5	10181	13.75	10258	11.25	10329	8	10397	18.75
10027	24	10097	22.5	10183	16.25	10259	10	10330	20	10398	18
10028	7.75	10098	20	10185	18.5	10260	15.25	10332	22.5	10399	37.25
10030	12.25	10102	25	10186	16	10263	7.75	10334	13.25	10400	10
10029	12.75	10111	24.5	10189	28	10266	17	10335	32.75	10401	5.25
10031	0	10113	20.25	10190	13.75	10268	20	10342	6.5	10402	14.75
10032	12.25	10116	22.75	10193	18.25	10270	8.5	10343	20	10403	4.5
10034	22.75	10117	9.5	10194	13.5	10271	1	10344	17.5	10404	28.25
10036	29	10118	19.25	10195	22	10272	2.75	10345	10.5	10405	13.75
10037	21.25	10123	16	10196	13.5	10274	42.25	10346	7.5	10406	3
10039	15	10125	28	10198	12.5	10275	2	10347	7.25	10407	15.5
10040	15	10126	16	10200	0	10277	21.5	10348	6	10408	11.25
10041	21.5	10127	21	10201	5.25	10278	9.75	10349	28.75	10410	15
10044	22.5	10128	4	10202	12.5	10279	7.5	10350	20.25	10412	10.5
10045	14	10130	4.5	10203	13.75	10280	37	10351	9	10414	22.5
10048	1.75	10132	21	10206	31.75	10281	35.25	10352	18.5	10415	17.25
10049	8.75	10133	10.75	10207	15	10282	21.75	10353	13.75	10416	28.75
10050	49.75	10134	16.25	10209	23.5	10283	21.25	10354	22.25	10419	25
10054	8.25	10136	23.25	10213	25.75	10284	11.25	10357	5	10420	12.25
10055	18.75	10138	17.25	10215	4	10286	16.25	10358	21.75	10421	25.25
10057	5	10141	16.75	10216	8.75	10289	5	10359	18.75	10422	46.5
10059	29.5	10142	3	10217	14.75	10290	12.5	10360	11.5	10424	22.5
10060	8.75	10143	17	10219	15	10292	22.5	10361	13	10425	6.25
10061	16.5	10144	6	10220	13.75	10294	19	10362	16.75	10429	11.5
10062	13.25	10145	19.75	10221	16.25	10295	11	10364	19	10430	19
10063	5	10146	13	10222	23.25	10296	29.25	10365	12.5	10433	25.5
10064	11.75	10150	30.75	10224	8.5	10297	11.75	10366	9.75	10436	18
10065	23	10151	25	10227	18	10299	10	10367	16	10437	39
10066	36	10152	27.75	10229	9.25	10300	28.75	10368	25	10440	12.25
10067	-0.75	10153	21.5	10232	6.25	10301	19.25	10369	24	10442	22.75
10068	6.25	10158	17.75	10233	35.75	10302	15.25	10372	10.75	10443	1
10069	24.75	10159	4.25	10237	10.5	10304	28.75	10373	20.25	10444	8.75

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10445	31.5	10521	5.25	10602	7.5	10673	13.75	10746	13.75	10816	2.25
10446	9.75	10522	12	10603	5	10674	36	10747	8.75	10819	30
10448	1.25	10523	11	10605	17.75	10675	28.5	10748	16.75	10820	17
10450	11	10524	24.75	10606	13.75	10676	21.25	10750	32	10821	17
10451	17.25	10525	8.75	10607	42	10678	21.5	10752	9.5	10822	15
10452	31.25	10526	7.5	10608	15	10679	23.75	10753	9.75	10824	23.25
10453	18.75	10527	16.25	10609	12	10681	14.5	10755	30.25	10826	4.25
10454	46.5	10528	23.75	10613	19.25	10682	16.75	10757	21.25	10832	11.25
10460	14.75	10529	11.5	10614	12.75	10683	0	10760	18.25	10834	15
10463	14.75	10530	12.5	10616	6.25	10685	6.5	10761	7.25	10835	16.25
10464	17.5	10531	9.25	10617	12.5	10687	5	10762	3.25	10836	18.75
10466	33	10532	17.5	10618	21.25	10691	12.25	10764	8.5	10838	7.5
10467	11.25	10533	9	10619	24	10692	10.25	10765	11	10839	10
10468	19	10534	-1	10620	26.25	10694	7.5	10766	30.75	10840	9
10469	14.25	10535	17	10623	22.75	10696	25	10767	16.25	10841	6.25
10470	26.25	10536	12.5	10624	19.75	10697	7.5	10775	22.5	10842	46
10471	19	10537	19.25	10625	38.25	10700	15.75	10776	27.25	10845	4.5
10472	21	10538	16.25	10628	11.75	10701	10.75	10777	13.75	10846	6.25
10473	18	10539	4	10629	12.5	10702	33.75	10778	20.25	10847	31.25
10476	20.75	10544	33.75	10630	18	10703	15	10779	21.25	10848	27.5
10477	26.5	10545	3.5	10631	22.5	10706	21.75	10781	42.25	10849	13.75
10479	16.25	10548	9.5	10632	30	10707	8	10783	5.25	10852	7.25
10482	11.25	10551	3	10633	13	10709	33.25	10784	32.5	10853	20.25
10483	20	10553	10.5	10635	22.5	10710	11.75	10786	19.75	10854	15
10484	19.5	10554	13.5	10636	9	10712	37.5	10787	18.75	10855	24.75
10485	12.5	10557	13.5	10640	9.5	10713	15.5	10788	30.5	10857	40.5
10488	19	10560	3.25	10641	2.5	10714	5	10789	33.75	10859	13.25
10489	20.75	10562	9.75	10642	23	10715	3.75	10790	13.5	10860	9.75
10490	22.75	10564	14.25	10643	1.25	10718	21.25	10791	14.5	10861	1.75
10491	12.25	10572	6.25	10644	17.75	10719	28.5	10792	28.75	10863	9.5
10493	12.75	10573	7.5	10646	30	10721	13.75	10793	18.25	10864	15.25
10494	8.5	10575	15.5	10647	8	10723	21.5	10794	9.5	10865	19
10495	19.75	10576	44.75	10650	23	10724	19	10797	18	10866	12.5
10496	16.25	10577	19.5	10651	30.5	10725	6.25	10798	20.25	10867	15
10497	-5.25	10578	26.25	10652	21.5	10727	24.5	10799	11	10869	6.75
10502	27.5	10579	15	10655	20	10728	13.25	10552	10.5	10870	29.75
10504	0.25	10581	38.75	10656	17.25	10729	6.25	10801	5	10872	11.5
10505	18.75	10583	15	10657	23.25	10730	20	10802	54.25	10873	12.25
10506	22.5	10584	22.75	10658	18	10732	8.25	10803	33.75	10876	23.75
10508	9.75	10586	24.5	10659	26.25	10733	32.5	10804	15	10877	11.25
10509	0.5	10587	12.25	10660	10	10736	12.5	10805	12.25	10878	8.75
10511	35	10590	6.25	10661	15.75	10737	13.75	10807	20.75	10880	3
10512	22.75	10591	5.25	10665	7.5	10738	10.5	10808	30	10882	9.75
10513	22	10592	25.25	10667	16.25	10739	7.75	10809	10	10884	12.25
10514	18.75	10593	12	10668	22.5	10740	23	10810	1	10885	7.75
10515	24.5	10597	16	10669	9.25	10741	20	10811	2.5	10886	10.5
10516	14	10598	5.25	10670	25.5	10743	30	10812	22	10888	29
10517	15	10599	19.25	10671	14	10744	28	10813	11.25	10889	9.75
10520	29	10601	24.75	10672	5.75	10745	20.75	10814	9.25	10890	27.5

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10892	14.5	10965	13	11046	23.5	11138	10	11220	10.25	11286	-2.75
10893	9.25	10966	26	11047	15.75	11143	5.25	11221	27.5	11289	5.5
10895	10.5	10968	1.5	11048	28	11144	2.75	11222	7.5	11290	15
10900	12.25	10969	12.75	11049	8.75	11148	15.25	11223	-1	11287	22.5
10901	5	10970	5	11054	6.25	11149	16	11226	8.75	11291	19.75
10902	13.75	10971	16.25	11059	2.5	11150	34.75	11227	21.25	11293	18.25
10903	26	10974	-0.75	11061	19.25	11151	18.75	11228	19.75	11296	7.5
10904	10	10976	19.75	11063	20.5	11153	19	11230	18	11297	10.25
10905	6	10977	29	11064	14	11154	23.75	11231	18.75	11305	12.75
10906	14.25	10978	8	11065	17.5	11155	34	11235	31.75	11306	11
10907	15	10979	8.75	11067	8.75	11156	7	11236	23.25	11310	12.25
10908	21.75	10980	20.5	11068	14.25	11157	17.25	11237	10.75	11311	15.25
10909	20.5	10981	15	11070	10.25	11158	21.75	11240	19	11302	18.75
10910	14.75	10982	19.75	11071	8.75	11159	3.5	11241	6.5	11304	13.5
10911	1.75	10984	10.25	11073	27.5	11160	17.5	11242	7.25	11312	12.5
10913	22.5	10987	20	11074	20	11162	15.25	11243	30.75	11313	38.25
10914	19.5	10988	30	11075	34.25	11164	15.5	11244	11.5	11315	8.75
10915	14	10989	13	11076	11.5	11165	6	11247	16.75	11316	9.75
10916	5.75	10990	15	11077	15.5	11167	20.25	11248	21.25	11317	17
10918	16.5	10992	3.75	11078	18	11168	25	11249	20.25	11319	33
10920	14.25	10993	47.25	11079	26.75	11170	12.5	11250	25.75	11320	22.25
10921	30.5	10994	5.75	11083	25.75	11171	23.5	11251	26.25	11321	19
10922	14.25	10995	46.25	11084	12	11176	3.5	11252	7.5	11322	24.5
10923	6.5	11000	19	11087	10.25	11175	7.5	11254	10.75	11323	13
10924	10	11001	5.25	11089	22.25	11177	26.25	11255	13.25	11324	22
10925	25.75	11003	28.25	11090	10.75	11178	22.5	11256	9.75	11325	25.25
10926	35.5	11004	19.5	11095	8	11179	9.25	11257	22.75	11326	27.5
10927	14.75	11006	16.25	11097	16.25	11181	20.5	11258	10.75	11327	9.25
10928	15.5	11007	5.25	11098	12	11183	21	11260	22	11330	14
10931	3.75	11008	16.5	11101	10.75	11186	1.5	11261	18.75	11331	7.25
10932	43.75	11009	18.75	11104	4.75	11189	13.75	11262	11.25	11332	16.5
10933	20	11010	5	11105	14.75	11193	13.75	11263	14.75	11333	4.25
10936	2.75	11011	19.75	11108	7.5	11198	13	11264	19	11334	26.25
10937	33	11012	8.25	11109	6.25	11185	20.25	11265	5	11335	16.25
10939	3	11013	2.25	11112	7.25	11201	21	11266	18.75	11337	20
10940	5.5	11014	27.25	11114	15	11202	10.25	11267	15.25	11339	14.75
10941	10.25	11015	1.5	11115	9.5	11204	15.75	11268	2.75	11340	17.5
10944	11.5	11016	12.5	11116	33.5	11206	13.75	11270	21.25	11341	9.75
10945	26	11019	12.5	11117	20.5	11209	27.5	11271	0	11342	6.75
10946	22.5	11020	23.75	11120	20	11210	18.75	11272	24.75	11343	13.75
10947	16.5	11023	32.75	11124	15	11211	21.25	11276	7	11344	11.75
10949	18.75	11027	0	11125	5	11212	13.75	11277	23.75	11345	52.75
10953	11.25	11028	1	11127	13.75	11213	3.25	11278	27.5	11347	11.25
10954	-0.25	11035	17.75	11128	25	11214	29.5	11280	14.25	11348	14.25
10943	13.5	11037	15.25	11131	26.25	11215	23.75	11281	18.75	11350	5.5
10958	10.25	11038	0.5	11133	23	11216	22.5	11282	13.75	11351	35
10961	18.75	11039	-1.75	11134	13.75	11217	18.75	11283	20	11354	14
10962	5.5	11040	7.5	11135	8.75	11218	19.5	11284	13.75	11356	13.75
10963	8	11041	8.25	11137	22.25	11219	40.75	11285	17	11357	28

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
11358	8.5	11435	30	11510	18.75	11583	13.75	11659	12.5	11729	27.5
11361	4.5	11437	1.75	11512	15	11584	8.75	11658	9.75	11731	25.5
11363	38	11438	34	11514	7	11585	19.25	11660	18.25	11732	18.25
11364	11.25	11439	8.75	11515	9.25	11586	7.5	11663	22.25	11733	9.75
11365	12.5	11440	15.25	11516	17.25	11588	1.75	11665	11.5	11734	23
11366	20.5	11441	30.5	11518	16.25	11589	10.5	11667	7.5	11736	19.5
11367	23.25	11442	14.5	11520	11	11590	35.25	11668	17.75	11737	12.5
11368	12.75	11443	25.5	11522	11.25	11592	3.75	11666	12.75	11738	12.25
11369	19.75	11444	21	11523	0.75	11593	12.5	11669	9.25	11740	15.5
11371	42.25	11445	17.5	11524	14.25	11594	2.5	11670	15.25	11742	6.75
11373	18.75	11446	10.75	11525	21	11595	13.75	11671	18.5	11744	21.25
11374	15.5	11450	11.25	11527	10.5	11597	20	11672	19.25	11745	21.25
11375	13.75	11455	22.5	11528	10.75	11599	7.5	11674	15.5	11747	17.5
11378	16	11456	15	11529	20	11600	7.75	11675	10.5	11748	19.75
11379	16.75	11457	5	11530	14.75	11601	18.25	11676	15	11749	16.5
11382	9.75	11459	-0.25	11531	12.75	11602	22.5	11677	18.25	11752	15
11383	15	11461	13.75	11533	11.25	11603	0.25	11678	19.25	11750	19.5
11384	26.75	11462	7.75	11535	11	11605	11.75	11679	13	11754	16
11386	27	11465	11.5	11536	11.5	11606	10.25	11682	10	11755	12.25
11387	25.5	11468	7.75	11537	7.5	11609	18.75	11684	5	11759	17.5
11388	17.75	11469	2.25	11538	7.75	11610	16.25	11686	14.5	11760	25.25
11389	6.5	11470	17.5	11546	13.25	11611	15.25	11691	11.5	11761	18.75
11390	12.5	11471	4	11547	10.75	11612	18.25	11692	3.75	11763	16.25
11391	12.5	11474	14	11548	13.25	11619	7	11693	6.5	11764	34.25
11394	15.5	11475	12.25	11549	20	11616	21.5	11694	5.25	11765	13.5
11395	16.25	11477	12.5	11550	25.25	11617	11.5	11697	26.5	11766	18.5
11398	9.75	11478	29.5	11551	10.25	11618	9.75	11698	13.5	11767	9
11401	12.75	11480	12.5	11553	12.75	11621	-1	11701	8.75	11768	18
11405	28.25	11482	6.25	11554	30.25	11622	27.75	11703	15	11769	28.75
11407	15	11483	12.5	11555	16.25	11623	13.75	11704	13	11771	5
11408	30.5	11485	10.5	11556	23.75	11625	24.75	11706	25.25	11772	24.5
11410	3.5	11486	18	11557	10	11626	24.5	11707	12.75	11775	13.25
11411	7.5	11492	11.75	11558	5	11629	4.25	11708	27.75	11777	24.5
11412	12	11493	34	11559	14.5	11630	17.75	11709	16.5	11778	21.25
11414	19	11494	21.25	11560	19.5	11632	18.25	11711	24.75	11780	4.5
11415	5.5	11495	2	11561	22.5	11633	5.75	11712	51.75	11783	10.25
11416	3.5	11496	15.5	11562	9.75	11634	9	11713	16	11781	9.25
11418	24.75	11497	8.5	11564	2.25	11635	33.5	11715	-2.75	11784	-1.25
11420	16.25	11488	15.5	11565	27.75	11636	10	11716	28.25	11787	7
11421	16.75	11466	23.75	11567	21.25	11637	10.5	11718	12.25	11789	16.75
11423	27.5	11458	16	11569	7.25	11638	19.25	11719	8.75	11790	21.5
11425	26.75	11419	18.75	11570	11.25	11642	8	11720	23.25	11791	13.75
11426	34.75	11307	30	11571	35.75	11644	10.25	11721	2.5	11792	49.5
11427	3.75	11502	30.75	11572	14.25	11646	18.75	11722	15	11793	17.5
11429	19	11503	23.5	11573	22.5	11647	31.5	11723	36.5	11794	20
11430	26	11504	21.75	11576	15	11649	18	11724	18.75	11798	28
11432	16.75	11505	9.75	11578	8.75	11651	13	11726	35.25	11796	34
11433	8.25	11506	5.75	11579	35.25	11652	21.75	11727	6.5	11800	16.75
11434	23.5	11508	34.75	11581	22.75	11656	11.25	11728	35.25	11801	10

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
11802	9.5	11869	26.75	11941	10.25	12026	17.5	12118	7.25	12205	9.25
11803	20.25	11870	13	11942	16.5	12027	15	12119	17.5	12206	27
11804	19.75	11873	34.5	11943	16.5	12032	8.25	12120	14.5	12207	13
11805	11.5	11874	13.5	11945	23.5	12034	-3.25	12122	23.75	12208	5.5
11808	24	11876	24.25	11947	12.75	12035	4	12124	-5	12209	18.75
11809	25	11879	34.25	11948	6.25	12036	6.5	12125	42.75	12211	10.5
11810	14.75	11880	13	11949	21.5	12037	16.75	12126	35.75	12212	14
11811	13.25	11881	12.5	11952	18.5	12038	16.5	12129	16.5	12213	7.5
11812	10	11882	35	11953	-1.5	12039	-2	12132	8.75	12214	10.5
11813	11.25	11883	21	11954	15.5	12041	5.5	12133	22	12217	29.75
11816	21.25	11884	18.25	11955	10.75	12042	19.5	12134	7	12218	7.5
11817	27.5	11886	32	11956	15	12043	7.5	12135	16.25	12219	11.25
11820	16.5	11887	9.75	11957	17.5	12044	10.5	12136	5	12220	21.75
11821	4	11888	28.75	11963	10.5	12048	23.5	12138	9	12221	44
11822	17.5	11889	9.5	11964	5.5	12049	15.75	12140	17.5	12222	22
11823	8.75	11890	14.25	11965	16.5	12050	7.25	12141	10	12223	14.25
11824	28.75	11891	14.75	11969	18.25	12052	32.5	12143	-2	12226	32.5
11825	18.75	11893	28.5	11971	13.75	12054	18.75	12144	13.5	12229	22
11826	7	11894	34.75	11973	20.75	12056	-4.5	12145	18.75	12230	8.25
11828	13.75	11895	29.75	11974	17.25	12057	5.5	12147	11.25	12231	13.5
11829	11.75	11896	26.5	11976	27.75	12058	3.75	12148	9.75	12233	15.75
11830	24.75	11897	13	11977	7.75	12059	5.25	12151	6.5	12234	23
11831	17.25	11898	16.5	11978	5	12060	21	12153	10.25	12235	8.75
11832	23.75	11899	24	11979	14.25	12062	7.25	12152	18.75	12238	8.25
11834	13.25	11902	17	11980	18.25	12063	7.25	12160	17.5	12239	9.25
11835	22.5	11903	30.25	11982	24.75	12065	9.25	12161	12.5	12240	2.75
11837	10	11905	3.25	11983	8.75	12066	15.75	12164	8.25	12242	13.5
11838	11.75	11907	6.75	11985	14	12067	7.5	12166	-1	12243	9.75
11839	9	11910	5.5	11987	1.75	12070	17.75	12167	16.25	12244	7.5
11840	11.5	11911	21.25	11988	13.75	12071	15	12169	13.75	12246	3
11842	17.75	11912	21.25	11989	15	12073	10	12174	11.75	12247	13.25
11845	8	11913	9.5	11992	19	12078	10.5	12175	26.25	12248	14.5
11846	20	11914	5.25	11998	6.25	12081	18.75	12176	10.25	12249	15.5
11848	22.25	11915	7.75	11999	19.5	12082	5.5	12178	21.25	12250	11.5
11849	7.5	11916	12.25	12002	18.75	12089	9.5	12179	26.25	12251	26.5
11850	17.5	11917	33	12005	18	12091	11.25	12180	30	12256	9
11851	28.75	11919	7.5	12003	30.25	12093	12.25	12182	17.25	12258	6
11852	6.5	11920	2.25	12007	17.75	12095	2.5	12184	13.75	12259	24
11855	19.75	11921	13	12009	30	12098	12.25	12186	12.5	12262	50
11856	7.5	11923	28	12010	16.25	12100	43.5	12188	17.5	12263	19.75
11859	23.75	11929	15.25	12012	20.75	12103	15	12191	11.75	12264	11.25
11860	6.5	11930	5	12014	11.5	12105	16.25	12193	15.25	12265	11.25
11861	2.75	11931	34.5	12015	17.5	12106	13.75	12194	22.25	12266	12.5
11862	14	11933	16.25	12016	10	12107	21.5	12195	21.25	12267	47
11863	14.5	11934	19.25	12018	7.5	12110	13	12198	25	12269	15.5
11864	31.25	11935	13.25	12022	14	12112	15.5	12199	1.5	12270	13.25
11865	20.75	11937	5	12021	19	12113	14.5	12200	17.5	12271	8
11867	23.75	11938	40.5	12023	16.5	12114	30.75	12203	11.25	12272	8
11872	16	11940	18.5	12025	17.5	12117	20.5	12204	11.75	12273	19.25

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
12275	22.75	12348	16.25	12420	34.25	12500	1.75	12576	5	12639	14.75
12278	24.75	12349	6.25	12421	25.75	12502	37.5	12577	5.5	12641	17.5
12279	28	12350	18.75	12423	6.75	12506	2.75	12578	20	12642	17.75
12280	16.25	12351	8.75	12424	16	12507	12.5	12580	15.25	12645	22
12281	6.75	12352	19	12425	11.25	12508	18.25	12581	4.5	12646	23.75
12282	15.5	12353	9	12426	10	12509	15.5	12582	17.5	12647	11
12283	22.25	12354	21	12427	15	12510	24.75	12584	12.25	12648	7.5
12284	15.5	12355	10.5	12429	31.5	12512	9.5	12585	20.5	12649	5.25
12285	17.5	12356	19.5	12430	16.25	12515	7.25	12586	13.75	12651	28.5
12287	9.25	12357	1.25	12431	6.25	12518	7.5	12587	17.75	12652	30
12288	16.5	12358	9.75	12432	18.75	12520	21	12588	26.25	12653	9.75
12290	9.5	12359	20.5	12434	16	12521	13.75	12589	10.5	12655	17.75
12292	12	12360	10.5	12435	16.25	12522	-0.5	12590	11.5	12656	1.25
12294	5	12364	15	12442	9.25	12523	34.5	12592	12.5	12657	3.75
12295	7.5	12365	32.75	12443	13.75	12524	8.25	12593	22.5	12659	23.75
12296	15	12367	9.25	12444	16.25	12527	13.25	12594	27.5	12662	3.75
12300	8.75	12371	9	12446	17.25	12530	3.75	12595	12	10056	6
12302	22.5	12373	25.5	12447	18	12531	16	12596	19	10046	38.5
12303	20.75	12374	10.75	12448	9.25	12533	12.5	12597	8	11200	31.5
12304	7.75	12375	15.5	12449	19.5	12534	15	12598	43.25	10948	6.5
12306	25.5	12376	2	12450	14.25	12535	25.25	12600	22.25	11190	14.75
12307	7.25	12377	20	12452	4.25	12536	6.25	12601	17.5	11195	4.25
12309	10	12381	15.25	12454	20.5	12537	20	12603	16.25	11194	21.5
12310	15	12382	3.25	12458	5	12538	8.75	12605	13	11199	14
12312	18.75	12383	12.75	12459	5	12540	9	12606	22	10956	0.5
12313	29	12384	0	12461	7	12541	6	12607	14	10571	19.75
12315	-0.25	12387	8.75	12460	8.5	12543	17	12608	15.25	12156	14
12316	14	12389	16.5	12462	22	12545	13.75	12610	14	11274	22.75
12318	12	12390	16.5	12463	25.25	12546	21	12612	15.25	10156	21.25
12319	17	12391	13.5	12464	10.5	12547	17.5	12613	23.5		
12321	24	12392	8	12466	28.75	12548	15	12614	15.5		
12320	11.25	12393	29.25	12467	10.25	12552	22.75	12615	11		
12324	17	12394	7	12473	10.5	12553	21.25	12616	17.5		
12326	44.5	12395	10	12474	20	12554	6.75	12617	57		
12327	3.25	12396	11.25	12476	4	12555	26.75	12618	8.75		
12328	2.5	12397	17.5	12478	26.5	12556	31.25	12620	8		
12329	-3.25	12398	13.75	12479	19	12558	16.25	12621	3.5		
12331	2.75	12404	5	12480	12.25	12559	19.75	12622	18.25		
12334	25.5	12405	22.25	12483	13	12563	30.5	12623	14.75		
12335	24.5	12406	21.25	12484	15.25	12564	14	12624	7		
12336	15	12407	26.5	12486	11.25	12565	2.75	12626	10.5		
12339	17	12408	15	12488	17.25	12566	16.5	12627	23.5		
12340	13.5	12409	10	12489	12.75	12567	6.25	12629	26		
12341	4	12410	25.75	12491	2.25	12568	8.75	12631	7.75		
12342	21.5	12412	14.25	12493	8.5	12570	17	12632	37.75		
12343	10.5	12413	4	12494	16.75	12571	3	12633	10		
12345	5	12416	22	12495	9.25	12572	20	12634	8.75		
12346	18.75	12417	10.25	12497	14.25	12574	20	12636	14.5		
12347	13.25	12418	18.75	12499	12.25	12575	17.5	12638	9.75		