

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10002	10.25	10076	20.75	10172	-6.5	10256	11.25	10335	34	10407	15.5
10003	4.75	10078	13.75	10173	14.25	10257	7.25	10342	6.5	10408	11.25
10004	12.5	10079	10	10174	16.75	10258	12.5	10343	20	10410	15
10006	6.25	10080	31.25	10175	11.25	10259	11.25	10344	18.75	10412	11.75
10007	11.25	10082	6	10176	13.5	10260	15.25	10345	10.5	10414	22.5
10010	8	10083	19.75	10178	9.25	10263	7.75	10346	7.5	10415	18.5
10011	16.5	10084	13	10179	10	10266	17	10347	7.25	10416	30
10013	22.25	10086	21	10180	21	10268	20	10348	6	10419	23.75
10014	18.75	10087	26.75	10181	13.75	10270	8.5	10349	28.75	10420	12.25
10015	23.5	10088	20.5	10182	16.25	10271	1	10350	20.25	10421	26.5
10016	18.5	10089	25	10185	18.5	10272	4	10351	9	10422	46.5
10017	4.5	10091	13.75	10186	17.25	10274	42.25	10352	19.75	10424	22.5
10018	15.25	10092	12.5	10188	28	10275	2	10353	13.75	10425	6.25
10020	28.5	10093	15.5	10190	13.75	10277	21.5	10354	22.25	10429	12.75
10021	4.75	10097	22.5	10193	17	10278	11	10357	5	10430	20.25
10022	20.75	10098	20	10194	14.75	10279	7.5	10358	21.75	10433	25.5
10024	12.75	10102	25	10195	22	10280	37	10359	17.5	10436	18
10025	5.5	10111	25.75	10196	14.75	10281	35.25	10360	11.5	10437	40.25
10027	25.25	10113	20.25	10198	12.5	10282	20.5	10361	14.25	10440	12.25
10028	7.75	10116	22.75	10200	-1.25	10283	22.5	10362	15.5	10442	22.75
10029	14	10117	9.5	10201	5.25	10284	10	10364	19	10443	2.25
10030	12.25	10118	19.25	10202	13.75	10286	16.25	10365	11.25	10444	7.5
10031	1.25	10123	16	10203	15	10289	3.75	10366	11	10445	31.5
10032	12.25	10125	28	10206	31.75	10290	12.5	10367	16	10446	9.75
10034	24	10126	16	10207	15	10291	22.5	10368	26.25	10448	1.25
10036	30.25	10127	21	10209	23.5	10294	20.25	10369	24	10450	11
10037	21.25	10128	4	10213	25.75	10295	11	10372	12	10451	17.25
10039	16.25	10130	3.25	10215	4	10296	29.25	10373	20.25	10452	30
10040	15	10132	21	10216	8.75	10297	10.5	10374	27.5	10453	20
10041	22.75	10133	10.75	10217	14.75	10299	10	10375	22.5	10454	45.25
10044	22.5	10134	16.25	10219	15	10300	30	10376	15	10460	14.75
10045	14	10136	23.25	10220	12.5	10301	20.5	10377	33.75	10463	14.75
10046	38.5	10138	17.25	10221	16.25	10302	16.5	10379	13.75	10464	17.5
10048	1.75	10141	16.75	10222	24.5	10304	28.75	10380	10.5	10466	34.25
10049	8.75	10142	1.75	10224	8.5	10305	7.25	10381	9.75	10467	11.25
10050	49.75	10143	17	10227	18	10306	14.5	10384	11.75	10468	20.25
10054	7	10144	6	10229	9.25	10307	20	10385	23.75	10469	14.25
10055	18.75	10145	18.5	10232	5	10309	9.5	10386	15.5	10470	26.25
10056	6	10146	11.75	10233	35.75	10311	27.5	10387	45.75	10471	19
10057	6.25	10150	30.75	10237	10.5	10313	12.5	10388	31.25	10472	21
10059	29.5	10151	25	10239	15	10316	34.25	10391	23.5	10473	18
10060	10	10152	26.5	10240	10.5	10318	17	10392	19	10476	22
10061	16.5	10153	20.25	10241	18.75	10320	10.5	10393	14	10477	26.5
10062	14.5	10156	22.5	10242	12.5	10321	16.75	10395	14	10479	16.25
10063	5	10158	17.75	10243	6.75	10322	11.25	10396	15.75	10482	11.25
10064	11.75	10159	5.5	10244	11.5	10323	8.5	10397	18.75	10483	20
10065	23	10160	12.25	10245	7.75	10324	11.75	10398	18	10484	20.75
10066	37.25	10161	11.25	10246	10.75	10325	28.25	10399	38.5	10485	12.5
10067	-0.75	10162	23	10247	16.25	10326	1.25	10400	10	10488	17.75
10068	6.25	10163	17.5	10249	10.5	10327	19.75	10401	5.25	10489	22
10069	26	10164	19.75	10250	9	10328	37.25	10402	14.75	10490	22.75
10070	27.25	10166	21.5	10252	36.25	10329	8	10403	4.5	10491	11
10071	16.5	10167	15	10253	18	10330	18.75	10404	28.25	10493	11.5
10072	9	10169	26.25	10254	17.5	10332	21.25	10405	13.75	10494	8.5
10074	32.5	10170	3.25	10255	10.75	10334	14.5	10406	3	10495	19.75

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur) Exam Date 19/Jan/2025 Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10496	17.5	10583	13.75	10667	16.25	10746	13.75	10832	11.25	10910	16
10497	-5.25	10584	21.5	10668	22.5	10747	7.5	10834	15	10911	1.75
10502	28.75	10586	25.75	10669	9.25	10748	15.5	10835	17.5	10913	23.75
10504	1.5	10587	11	10670	25.5	10750	32	10836	17.5	10914	18.25
10505	20	10590	6.25	10671	12.75	10752	9.5	10838	7.5	10915	14
10506	22.5	10591	5.25	10672	7	10753	9.75	10839	10	10916	7
10508	9.75	10592	25.25	10673	13.75	10755	31.5	10840	9	10918	16.5
10509	0.5	10593	10.75	10674	36	10757	21.25	10841	6.25	10920	14.25
10511	35	10597	16	10675	28.5	10760	18.25	10842	44.75	10921	29.25
10512	22.75	10598	4	10676	21.25	10761	7.25	10845	5.75	10922	14.25
10513	22	10599	19.25	10678	21.5	10762	4.5	10846	6.25	10923	6.5
10514	18.75	10601	24.75	10679	23.75	10764	8.5	10847	32.5	10924	10
10515	24.5	10602	7.5	10681	14.5	10765	11	10848	28.75	10925	25.75
10516	15.25	10603	5	10682	18	10766	30.75	10849	13.75	10926	34.25
10517	15	10605	17.75	10683	0	10767	16.25	10852	7.25	10927	14.75
10520	29	10606	13.75	10685	6.5	10775	22.5	10853	20.25	10928	15.5
10521	4	10607	43.25	10687	5	10776	27.25	10854	15	10931	3.75
10522	13.25	10608	15	10691	12.25	10777	13.75	10855	24.75	10932	42.5
10523	9.75	10609	12	10692	9	10778	20.25	10857	41.75	10933	20
10524	24.75	10613	19.25	10694	6.25	10779	21.25	10859	13.25	10936	2.75
10525	8.75	10614	12.75	10696	25	10781	42.25	10860	9.75	10937	33
10526	7.5	10616	6.25	10697	7.5	10783	5.25	10861	3	10939	3
10527	17.5	10617	12.5	10700	15.75	10784	32.5	10863	8.25	10940	4.25
10528	22.5	10618	22.5	10701	10.75	10786	19.75	10864	15.25	10941	10.25
10529	11.5	10619	24	10702	35	10787	20	10865	17.75	10943	13.5
10530	12.5	10620	27.5	10703	15	10788	30.5	10866	13.75	10944	11.5
10531	9.25	10623	21.5	10706	21.75	10789	33.75	10867	15	10945	27.25
10532	17.5	10624	19.75	10707	8	10790	13.5	10869	5.5	10946	23.75
10533	9	10625	39.5	10709	33.25	10791	14.5	10870	29.75	10947	16.5
10534	0.25	10628	13	10710	11.75	10792	28.75	10872	12.75	10948	7.75
10535	17	10629	12.5	10712	37.5	10793	19.5	10873	11	10949	18.75
10536	12.5	10630	18	10713	15.5	10794	10.75	10876	23.75	10953	11.25
10537	19.25	10631	22.5	10714	3.75	10797	18	10877	10	10954	-0.25
10538	16.25	10632	30	10715	3.75	10798	21.5	10878	8.75	10956	0.5
10539	4	10633	14.25	10718	21.25	10799	11	10880	3	10958	10.25
10544	32.5	10635	22.5	10719	28.5	10801	5	10882	8.5	10961	18.75
10545	3.5	10636	9	10721	13.75	10802	55.5	10884	12.25	10962	5.5
10548	9.5	10640	9.5	10723	21.5	10803	35	10885	7.75	10963	8
10551	3	10641	3.75	10724	19	10804	15	10886	11.75	10965	13
10552	10.5	10642	23	10725	6.25	10805	11	10888	29	10966	26
10553	11.75	10643	1.25	10727	24.5	10807	20.75	10889	9.75	10968	2.75
10554	14.75	10644	17.75	10728	13.25	10808	30	10890	27.5	10969	12.75
10557	12.25	10646	30	10729	6.25	10809	10	10892	14.5	10970	5
10560	3.25	10647	8	10730	18.75	10810	1	10893	8	10971	16.25
10562	9.75	10650	23	10732	8.25	10811	2.5	10895	10.5	10974	-0.75
10564	14.25	10651	29.25	10733	32.5	10812	22	10900	12.25	10976	19.75
10571	19.75	10652	21.5	10736	12.5	10813	11.25	10901	6.25	10977	29
10572	6.25	10655	21.25	10737	13.75	10814	10.5	10902	13.75	10978	6.75
10573	8.75	10656	17.25	10738	10.5	10816	2.25	10903	26	10979	10
10575	14.25	10657	24.5	10739	7.75	10819	30	10904	11.25	10980	19.25
10576	44.75	10658	18	10740	24.25	10820	15.75	10905	6	10981	15
10577	19.5	10659	26.25	10741	20	10821	15.75	10906	14.25	10982	21
10578	25	10660	10	10743	30	10822	16.25	10907	15	10984	11.5
10579	15	10661	15.75	10744	28	10824	22	10908	21.75	10987	20
10581	37.5	10665	8.75	10745	20.75	10826	5.5	10909	20.5	10988	30

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur)											
Exam Date 19/Jan/2025											
Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
10989	13	11087	10.25	11185	20.25	11262	11.25	11337	20	11421	16.75
10990	15	11089	22.25	11186	1.5	11263	14.75	11339	16	11423	27.5
10992	3.75	11090	9.5	11189	15	11264	17.75	11340	17.5	11425	26.75
10993	47.25	11095	9.25	11190	13.5	11265	5	11341	9.75	11426	34.75
10994	5.75	11097	16.25	11193	13.75	11266	18.75	11342	6.75	11427	3.75
10995	47.5	11098	13.25	11194	21.5	11267	16.5	11343	13.75	11429	19
11000	20.25	11101	10.75	11195	4.25	11268	2.75	11344	11.75	11430	26
11001	6.5	11104	3.5	11198	13	11270	22.5	11345	52.75	11432	16.75
11003	28.25	11105	14.75	11199	14	11271	0	11347	10	11433	8.25
11004	19.5	11108	7.5	11200	32.75	11272	23.5	11348	13	11434	23.5
11006	16.25	11109	6.25	11201	22.25	11274	24	11350	4.25	11435	30
11007	6.5	11112	7.25	11202	10.25	11276	7	11351	36.25	11437	1.75
11008	17.75	11114	15	11204	15.75	11277	23.75	11354	12.75	11438	34
11009	18.75	11115	9.5	11206	13.75	11278	27.5	11356	13.75	11439	8.75
11010	5	11116	33.5	11209	27.5	11280	14.25	11357	26.75	11440	15.25
11011	19.75	11117	20.5	11210	20	11281	18.75	11358	8.5	11441	30.5
11012	9.5	11120	18.75	11211	21.25	11282	13.75	11361	4.5	11442	14.5
11013	2.25	11124	16.25	11212	12.5	11283	20	11363	36.75	11443	25.5
11014	28.5	11125	5	11213	3.25	11284	13.75	11364	12.5	11444	22.25
11015	1.5	11127	15	11214	29.5	11285	17	11365	12.5	11445	17.5
11016	12.5	11128	26.25	11215	23.75	11286	-1.5	11366	20.5	11446	10.75
11019	13.75	11131	25	11216	21.25	11287	22.5	11367	23.25	11450	11.25
11020	23.75	11133	23	11217	18.75	11289	5.5	11368	12.75	11455	23.75
11023	31.5	11134	12.5	11218	19.5	11290	15	11369	21	11456	15
11027	0	11135	8.75	11219	42	11291	19.75	11371	42.25	11457	5
11028	1	11137	22.25	11220	10.25	11293	19.5	11373	20	11458	17.25
11035	17.75	11138	10	11221	27.5	11296	8.75	11374	15.5	11459	-0.25
11037	15.25	11143	6.5	11222	8.75	11297	10.25	11375	13.75	11461	15
11038	0.5	11144	4	11223	0.25	11302	20	11378	17.25	11462	9
11039	-1.75	11148	16.5	11226	8.75	11304	13.5	11379	16.75	11465	10.25
11040	7.5	11149	16	11227	20	11305	14	11382	9.75	11466	23.75
11041	9.5	11150	36	11228	18.5	11306	11	11383	16.25	11468	9
11046	23.5	11151	17.5	11230	18	11307	31.25	11384	26.75	11469	2.25
11047	15.75	11152	19	11231	17.5	11310	12.25	11386	27	11470	17.5
11048	26.75	11154	25	11235	33	11311	16.5	11387	26.75	11471	4
11049	8.75	11155	35.25	11236	23.25	11312	12.5	11388	17.75	11474	14
11054	6.25	11156	8.25	11237	10.75	11313	38.25	11389	6.5	11475	12.25
11059	2.5	11157	16	11240	20.25	11315	8.75	11390	13.75	11477	13.75
11061	19.25	11158	23	11241	7.75	11316	9.75	11391	11.25	11478	29.5
11063	19.25	11159	3.5	11242	7.25	11317	17	11394	14.25	11480	12.5
11064	12.75	11160	17.5	11243	30.75	11319	33	11395	16.25	11482	6.25
11065	16.25	11162	15.25	11244	11.5	11320	22.25	11398	9.75	11483	12.5
11067	8.75	11164	15.5	11247	15.5	11321	19	11401	11.5	11485	10.5
11068	13	11165	7.25	11248	21.25	11322	25.75	11405	28.25	11486	18
11070	9	11167	20.25	11249	20.25	11323	13	11407	13.75	11488	16.75
11071	10	11168	26.25	11250	24.5	11324	22	11408	30.5	11492	11.75
11073	28.75	11170	12.5	11251	26.25	11325	24	11410	4.75	11493	34
11074	20	11171	23.5	11252	7.5	11326	26.25	11411	7.5	11494	20
11075	33	11175	8.75	11254	10.75	11327	9.25	11412	12	11495	2
11076	11.5	11176	4.75	11255	13.25	11330	12.75	11414	19	11496	15.5
11077	15.5	11177	27.5	11256	9.75	11331	7.25	11415	6.75	11497	7.25
11078	19.25	11178	22.5	11257	22.75	11332	16.5	11416	3.5	11502	30.75
11079	28	11179	9.25	11258	10.75	11333	4.25	11418	26	11503	24.75
11083	25.75	11181	20.5	11260	22	11334	26.25	11419	18.75	11504	23
11084	13.25	11183	21	11261	18.75	11335	16.25	11420	17.5	11505	9.75

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur)											
Exam Date 19/Jan/2025											
Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
11506	5.75	11588	1.75	11671	18.5	11752	15	11831	17.25	11910	5.5
11508	34.75	11589	10.5	11672	19.25	11754	16	11832	23.75	11911	21.25
11509	18.75	11590	35.25	11674	15.5	11755	12.25	11834	13.25	11912	21.25
11512	15	11592	3.75	11675	9.25	11759	18.75	11835	22.5	11913	8.25
11514	8.25	11593	13.75	11676	15	11760	25.25	11837	10	11914	5.25
11515	9.25	11594	2.5	11677	18.25	11761	18.75	11838	13	11915	7.75
11516	17.25	11595	13.75	11678	20.5	11763	16.25	11839	10.25	11916	12.25
11518	17.5	11597	20	11679	11.75	11764	34.25	11840	11.5	11917	33
11520	11	11599	7.5	11682	10	11765	12.25	11842	17.75	11919	7.5
11522	11.25	11600	7.75	11684	6.25	11766	18.5	11845	9.25	11920	2.25
11523	0.75	11601	18.25	11686	13.25	11767	9	11846	21.25	11921	13
11524	15.5	11602	22.5	11691	10.25	11768	18	11848	22.25	11923	26.75
11525	22.25	11603	0.25	11692	3.75	11769	28.75	11849	7.5	11929	15.25
11527	10.5	11605	11.75	11693	6.5	11771	5	11850	18.75	11930	3.75
11528	10.75	11606	10.25	11694	4	11772	24.5	11851	30	11931	34.5
11529	20	11609	20	11697	26.5	11775	14.5	11852	6.5	11933	16.25
11530	14.75	11610	16.25	11698	13.5	11777	24.5	11855	18.5	11934	19.25
11531	12.75	11611	14	11701	8.75	11778	21.25	11856	7.5	11935	13.25
11533	11.25	11612	19.5	11703	15	11780	5.75	11859	23.75	11937	5
11535	11	11615	20.25	11704	13	11781	9.25	11860	6.5	11938	41.75
11536	11.5	11617	10.25	11706	26.5	11783	9	11861	2.75	11940	18.5
11537	7.5	11618	11	11707	12.75	11784	-1.25	11862	14	11941	10.25
11538	6.5	11619	8.25	11708	27.75	11787	8.25	11863	14.5	11942	16.5
11546	13.25	11621	-1	11709	16.5	11789	18	11864	31.25	11943	17.75
11547	10.75	11622	27.75	11711	24.75	11790	21.5	11865	20.75	11945	23.5
11548	12	11623	13.75	11712	51.75	11791	13.75	11867	25	11947	12.75
11549	20	11625	24.75	11713	16	11792	49.5	11869	26.75	11948	6.25
11550	26.5	11626	24.5	11715	-2.75	11793	18.75	11870	13	11949	21.5
11551	11.5	11629	4.25	11716	29.5	11794	21.25	11872	16	11952	18.5
11553	12.75	11630	16.5	11718	12.25	11796	34	11873	33.25	11953	-1.5
11554	29	11632	19.5	11719	10	11798	28	11874	13.5	11954	15.5
11555	16.25	11633	5.75	11720	23.25	11800	16.75	11876	24.25	11955	10.75
11556	23.75	11634	9	11721	1.25	11801	10	11879	34.25	11956	15
11557	11.25	11635	33.5	11722	15	11802	9.5	11880	13	11957	17.5
11558	5	11636	11.25	11723	36.5	11803	19	11881	12.5	11963	11.75
11559	15.75	11637	11.75	11724	20	11804	19.75	11882	36.25	11964	5.5
11560	19.5	11638	20.5	11726	36.5	11805	11.5	11883	21	11965	17.75
11561	22.5	11642	8	11727	6.5	11808	24	11884	18.25	11969	18.25
11562	9.75	11644	10.25	11728	36.5	11809	26.25	11886	32	11971	13.75
11564	2.25	11646	17.5	11729	26.25	11810	14.75	11887	8.5	11973	22
11565	27.75	11647	30.25	11731	26.75	11811	13.25	11888	27.5	11974	17.25
11567	22.5	11649	18	11732	18.25	11812	11.25	11889	10.75	11976	27.75
11569	6	11651	13	11733	9.75	11813	11.25	11890	14.25	11977	7.75
11570	11.25	11652	21.75	11734	23	11816	21.25	11891	14.75	11978	5
11571	37	11656	11.25	11736	20.75	11817	27.5	11893	29.75	11979	15.5
11572	14.25	11658	8.5	11737	13.75	11820	16.5	11894	34.75	11980	18.25
11573	23.75	11659	12.5	11738	13.5	11821	4	11895	29.75	11982	24.75
11576	13.75	11660	18.25	11740	15.5	11822	17.5	11896	27.75	11983	10
11578	8.75	11663	22.25	11742	8	11823	10	11897	13	11985	15.25
11579	36.5	11665	11.5	11744	21.25	11824	27.5	11898	17.75	11987	1.75
11581	22.75	11666	11.5	11745	21.25	11825	18.75	11899	24	11988	13.75
11583	13.75	11667	7.5	11747	18.75	11826	8.25	11902	18.25	11989	13.75
11584	8.75	11668	17.75	11748	19.75	11828	13.75	11903	30.25	11992	20.25
11585	20.5	11669	9.25	11749	16.5	11829	13	11905	3.25	11998	6.25
11586	8.75	11670	14	11750	19.5	11830	26	11907	5.5	11999	19.5

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur)											
Exam Date 19/Jan/2025											
Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks	Roll No	Marks
12002	18.75	12103	15	12199	1.5	12279	29.25	12356	19.5	12443	13.75
12003	30.25	12105	16.25	12200	17.5	12280	16.25	12357	1.25	12444	16.25
12005	18	12106	13.75	12203	11.25	12281	6.75	12358	9.75	12446	17.25
12007	17.75	12107	21.5	12204	11.75	12282	15.5	12359	19.25	12447	18
12009	30	12110	13	12205	8	12283	22.25	12360	10.5	12448	9.25
12010	16.25	12112	15.5	12206	28.25	12284	15.5	12364	15	12449	19.5
12012	20.75	12113	14.5	12207	14.25	12285	17.5	12365	32.75	12450	14.25
12014	11.5	12114	32	12208	4.25	12287	8	12367	9.25	12452	5.5
12015	17.5	12117	21.75	12209	18.75	12288	17.75	12371	9	12454	20.5
12016	8.75	12118	7.25	12211	9.25	12290	9.5	12373	25.5	12458	3.75
12018	7.5	12119	17.5	12212	14	12292	12	12374	10.75	12459	5
12021	20.25	12120	15.75	12213	7.5	12294	3.75	12375	15.5	12460	9.75
12022	14	12122	23.75	12214	10.5	12295	7.5	12376	2	12461	7
12023	16.5	12124	-5	12217	29.75	12296	16.25	12377	20	12462	23.25
12025	17.5	12125	44	12218	8.75	12300	7.5	12381	15.25	12463	25.25
12026	17.5	12126	37	12219	11.25	12302	23.75	12382	3.25	12464	11.75
12027	13.75	12129	15.25	12220	23	12303	20.75	12383	11.5	12466	28.75
12032	8.25	12132	8.75	12221	44	12304	7.75	12384	0	12467	10.25
12034	-2	12133	20.75	12222	22	12306	25.5	12387	10	12473	10.5
12035	4	12134	8.25	12223	15.5	12307	6	12388	16.5	12474	21.25
12036	6.5	12135	16.25	12226	33.75	12309	10	12390	16.5	12476	4
12037	16.75	12136	3.75	12229	22	12310	15	12391	13.5	12478	27.75
12038	17.75	12138	9	12230	8.25	12312	18.75	12392	9.25	12479	20.25
12039	-2	12140	17.5	12231	13.5	12313	29	12393	28	12480	12.25
12041	5.5	12141	10	12233	17	12315	1	12394	5.75	12483	13
12042	19.5	12143	-2	12234	24.25	12316	14	12395	8.75	12484	15.25
12043	6.25	12144	13.5	12235	8.75	12318	12	12396	12.5	12486	11.25
12044	10.5	12145	20	12238	8.25	12319	17	12397	16.25	12488	17.25
12048	23.5	12147	11.25	12239	8	12320	11.25	12398	13.75	12489	12.75
12049	14.5	12148	9.75	12240	2.75	12321	24	12404	5	12490	3.5
12050	7.25	12151	6.5	12242	13.5	12324	17	12405	22.25	12493	8.5
12052	32.5	12152	18.75	12243	9.75	12326	44.5	12406	21.25	12494	15.5
12054	18.75	12153	11.5	12244	6.25	12327	4.5	12407	27.75	12495	9.25
12056	-4.5	12156	14	12246	3	12328	2.5	12408	13.75	12497	14.25
12057	5.5	12160	17.5	12247	13.25	12329	-3.25	12409	10	12499	12.25
12058	3.75	12161	13.75	12248	14.5	12331	4	12410	24.5	12500	1.75
12059	4	12164	7	12249	15.5	12334	25.5	12412	14.25	12502	38.75
12060	21	12166	-1	12250	11.5	12335	25.75	12413	4	12506	4
12062	7.25	12167	16.25	12251	26.5	12336	15	12416	22	12507	12.5
12063	7.25	12169	13.75	12256	9	12339	15.75	12417	11.5	12508	18.25
12065	9.25	12174	11.75	12258	6	12340	12.25	12418	17.5	12509	16.75
12066	14.5	12175	26.25	12259	24	12341	4	12420	34.25	12510	26
12067	6.25	12176	9	12262	50	12342	21.5	12421	25.75	12512	9.5
12070	16.5	12178	20	12263	18.5	12343	10.5	12423	6.75	12515	7.25
12071	16.25	12179	26.25	12264	12.5	12345	3.75	12424	16	12518	6.25
12073	10	12180	30	12265	10	12346	20	12425	11.25	12520	21
12078	10.5	12182	18.5	12266	12.5	12347	14.5	12426	11.25	12521	13.75
12081	18.75	12184	15	12267	47	12348	17.5	12427	16.25	12522	-0.5
12082	4.25	12186	12.5	12269	16.75	12349	6.25	12429	31.5	12523	33.25
12089	9.5	12188	17.5	12270	14.5	12350	17.5	12430	16.25	12524	8.25
12091	11.25	12191	11.75	12271	8	12351	10	12431	6.25	12527	14.5
12093	12.25	12193	15.25	12272	8	12352	20.25	12432	18.75	12530	3.75
12095	2.5	12194	23.5	12273	18	12353	9	12434	14.75	12531	17.25
12098	12.25	12195	21.25	12275	22.75	12354	22.25	12435	16.25	12533	12.5
12100	43.5	12198	26.25	12278	24.75	12355	10.5	12442	10.5	12534	15

[illegible][illegible]

Empanelment Aptitude Test For High Skilled Manpower For Year 2025-2026 (ACLS Jodhpur)											
Exam Date 19/Jan/2025											
Updated Candidates Marks (Total Marks 90)											
Roll No	Marks	Roll No	Marks								

Roll No	Marks	Roll No	Marks
12535	25.25	12608	16.5
12536	6.25	12610	12.75
12537	21.25	12612	15.25
12538	8.75	12613	24.75
12540	9	12614	15.5
12541	6	12615	11
12543	17	12616	18.75
12545	12.5	12617	55.75
12546	21	12618	10
12547	17.5	12620	8
12548	15	12621	3.5
12552	24	12622	19.5
12553	22.5	12623	14.75
12554	5.5	12624	7
12555	26.75	12626	9.25
12556	32.5	12627	23.5
12558	16.25	12629	26
12559	19.75	12631	7.75
12563	31.75	12632	37.75
12564	14	12633	10
12565	2.75	12634	8.75
12566	16.5	12636	13.25
12567	6.25	12638	9.75
12568	8.75	12639	14.75
12570	18.25	12641	16.25
12571	3	12642	19
12572	20	12645	23.25
12574	20	12646	25
12575	17.5	12647	9.75
12576	3.75	12648	7.5
12577	5.5	12649	5.25
12578	21.25	12651	29.75
12580	15.25	12652	31.25
12581	4.5	12653	9.75
12582	16.25	12655	17.75
12584	12.25	12656	1.25
12585	21.75	12657	3.75
12586	13.75	12659	23.75
12587	17.75	12662	2.5
12588	26.25		
12589	10.5		
12590	11.5		
12592	13.75		
12593	22.5		
12594	28.75		
12595	12		
12596	17.75		
12597	9.25		
12598	43.25		
12600	22.25		
12601	17.5		
12603	15		
12605	13		
12606	22		
12607	15.25		